


Spanschroef-extra lang Type HE: haak / oog Met borgmoer Gelegeerd staal & gesmeed Thermisch verzinkt		Tendeur –extra longue Type HE: crochet / oeil Avec ecrou de serrage Acier allié et forgé Galvanisé à chaud						Turnbuckle –extra long Type HE: hook / eye With lock-nut Alloy steel & forged Hot-dip galvanized			Spanschraube – extra lang Type HE: auge / haak Mit kontermuttern Alloy Stahl & geschmiedet Feuerverzinkt	
Nominale maat Designation Nominal size Nenngrösse	l1 mm	l2 mm	a mm	b mm	f mm	m mm	e mm	WLL [t]	KG	Art.NR Code Art. Stock No. Art.Nr.	€	
3/8 x 6"	180	152	28	13	137	12	129	0,45	0.4	163003806		
1/2 x 6"	190	152	36	18	153	15	147	0,68	0.7	163001206		
1/2 x 9"	266	228	36	18	193	15	187	0,68	0.8	163001209		
1/2 x 12"	342	304	36	18	228	15	222	0,68	1.0	163001212		
5/8 x 6"	200	152	44	22	177	20	166	1	1.0	163005806		
5/8 x 9"	276	228	44	22	217	20	206	1	1.3	163005809		
5/8 x 12"	352	304	44	22	252	20	241	1	1.6	163005812		
3/4 x 6"	210	152	54	25	196	23	181	1,36	1.8	163003406		
3/4 x 9"	287	228	54	25	236	23	221	1,36	2.1	163003409		
3/4 x 12"	362	304	54	25	271	23	256	1,36	2.4	163003412		
3/4 x 18"	515	457	54	25	351	23	336	1,36	3.1	163003418		
7/8 x 12"	372	304	60	31	287	26	273	1,81	3.6	163007812		
7/8 x 18"	524	457	60	31	367	26	353	1,81	4.4	163007818		
1 x 12"	381	304	76	36	323	29	286	2,27	5.1	163010012		
1 x 18"	533	457	76	36	403	29	3.66	2,27	6.3	163010018		

SF 5:1



No Lifting Use - Only static & in line Loads – Marking: Nominal Size, Batch code, L (Left-Hand Thread)
 Temp./ WLL Reduction factors : (-20°C ⇔ -10°C=50%) * (-10°C ⇔ 0°C=75%) * (0°C ⇔ 100°C=100%) * (100°C ⇔ 150°C=75%) * (150°C ⇔ 200°C=50%)
 Subject to minor tolerances